2002 Oldsmobile Intrigue 3WH69 4dr Sdn GX



Photo may not represent exact vehicle or selected equipment.

VEHICLE SUMMARY

Effective Date: 3/15/02

SELECTED OPTIONS CODE DESCRIPTION

FE9	FEDERAL EMISSIONS
_	
LX5	3.5L TWIN CAM DOHC SFI 24-VALVE V6 ENGINE (STD)
	4-SPEED AUTOMATIC TRANSMISSION W/OD (STD)
1SA	GX OPT PKG -inc: base vehicle only
	P225/60R16 TOURING SBR BSW TIRES (STD)
AR9	BUCKET SEATS (STD)
B	CLOTH TRIM (STD)
	SOLID PAINT (STD)
	ETR AM/FM STEREO W/CD PLAYER/AUTO TONE CONTROL -inc: seek-scan, (4) speakers, digital clock (STD)

Color Selections

	Description	Code
Exterior#1	Sterling	12
Exterior#2		
Interior	Pewter	92
	Description	Code

April 9, 2002 Page 1

CODE DE	SCRIPTION	
Exterior#1 Exterior#2	Indigo Blue	28
Interior	Neutral	52
	Description	Code
Exterior#1	Indigo Blue	28
Exterior#2 Interior	Pewter	92
	Description	Code
Exterior#1	Sandstone	33
Exterior#2 Interior	Neutral	52
	Description	Code
Exterior#1	Tropic Teal	37
Exterior#2 Interior	Neutral	52
	Description	Code
Exterior#1	Ivory White	40
Exterior#2 Interior	Neutral	52
memorial		
	Description	Code
Exterior#1 Exterior#2	Ivory White	40
Interior	Pewter	92
	Description	Code
Exterior#1	Black Onyx	41
Exterior#2		
Interior	Neutral	52
	Description	Code
Exterior#1	Black Onyx	41
Exterior#2	5 .	
Interior	Pewter	92

April 9, 2002 Page 2

CODE DESCRIPTION

Exterior#1 Exterior#2	Description Ruby Red	Code 72
Interior	Neutral	52
	Description	Code
Exterior#1 Exterior#2	Ruby Red	72
Interior	Pewter	92
	Description	Code
Exterior#1 Exterior#2	Description Bronze Mist	Code 76
	•	
Exterior#2	Bronze Mist	76
Exterior#2	Bronze Mist Neutral	76 52

STANDARD EQUIPMENT

MECHANICAL

3.5L twin cam DOHC SFI 24-valve V6 engine

Two-point liquid-filled engine mounts

Gas-charged hood & trunk struts

4-speed automatic transmission w/OD

Brake/transmission shift interlock

Front wheel drive

Maintenance-free battery w/rundown protection

Independent MacPherson strut front suspension w/coil springs

Independent coil-over-strut tri-link rear suspension

Front/rear stabilizer bar

Front/rear Delphi gas-charged struts

P225/60R16 touring SBR BSW tires

16" silver finish aluminum wheels

Magnasteer variable assist pwr rack & pinion steering

4-wheel pwr disc brakes

April 9, 2002 Page 3

MECHANICAL

4-wheel anti-lock brake system

17.0 gallon fuel tank

EXTERIOR

Bright roof drip & belt reveal moldings

Body-color body-side moldings

Black rocker moldings

Aerodynamically shaped halogen headlamps w/clear lenses

Daytime running lamps w/delayed headlamp-off feature

Cornering lamps

Dual black fold away pwr mirrors

Pulse wiper system

INTERIOR

Cloth reclining front bucket seats w/adjustable headrests

Theater-style elevated rear bench seat w/folding armrest

Center console-inc: shifter, armrest, storage bin, CD/cassette/coin storage, dual front/rear cup holders

Full cut pile floor carpeting

Front/rear carpeted floor mats

Tilt-wheel adjustable column steering

Steering wheel mounted cruise controls

Instrumentation-inc: tachometer, speedometer, trip odometer, coolant/fuel gauges

Chimes-inc: safety belt warning, headlamps-on, key-in-ignition, turn signal on, parking brake set, low fuel

Automatic headlamp control

Pwr windows w/driver-side auto-down

Pwr programmable automatic door locks

Retained accessory pwr-inc: radio, pwr windows

Cruise control w/resume & acceleration feature

Pwr remote trunk release

PASSLock vehicle security system

Four-Season air conditioning

Flo-Thru ventilation

Air filtration w/replaceable filter

Rear seat heat ducts

Rear window defogger

ETR AM/FM stereo w/CD player/auto tone control-inc: seek-scan, (4) speakers, digital clock

Integrated grid rear window antenna

Front/rear door map pockets

Day/night rearview mirror w/dual reading lamps

April 9, 2002 Page 4

INTERIOR

Dual visors w/covered mirrors/sunshade extenders

Front/rear outboard passenger assist grips

Lighting-inc: front/rear reading, instrument panel, glove box, courtesy, trunk

Delayed entry/exit lighting w/theater dimming

Front seatback map pockets

Full trunk carpeting

EPA FUEL ECONOMY RATINGS

City 20/hwy 30 (3.5L engine/4-speed auto trans)

SAFETY

4-wheel anti-lock brake system

Driver & front passenger airbag supplemental inflatable restraint system

3-point front safety belts w/height-adjustment, anchor points attached to seats

3-point rear outboard safety belts

Rear center lap belt

Rear child-security door locks

Brake/transmission shift interlock

Daytime running lamps w/delayed headlamp-off feature

COLOR CHART

	Interior Colors	
	Neutral	Pewter
Exterior Colors		
Sterling		Χ
Indigo Blue	X	Χ
Sandstone	Х	
Tropic Teal	X	
Ivory White	X	Х
Black Onyx	X	Х
Ruby Red	X	X
Bronze Mist	X	X

WARRANTY

Basic: 5 Years/60,000 Miles Drivetrain: 5 Years/60,000 Miles Corrosion: 6 Years/100,000 Miles

Roadside Assistance: 5 Years/60,000 Miles

April 9, 2002 Page 5

POWERTRAIN - BASIC SPECIFICATIONS

ENGINE

Order Code LX5
Type Gas V6
Displacement 3.5L/212 CID

Fuel System

SAE Net Horsepower @ RPM 215 @ 5600 SAE Net Torque (lb ft) @ RPM 230 @ 4400

TRANSMISSION

Order Code

Type 4-Speed Automatic w/OD Electronic Drivetrain Front Wheel Drive

MILEAGECityHwyFuel Economy Est (MPG)20.0030.00Cruising Range (mi)340.00510.00

POWERTRAIN - ADVANCED SPECIFICATIONS

TRANSMISSION

Gear Ratio (:1)

 First
 2.92

 Second
 1.57

 Third
 1.00

 Fourth
 0.70

 Reverse
 2.39

Clutch size (in)

Final drive ratio 3.05

ELECTRICAL

Battery

Maximum Capacity @ 0° F. (amps) 690.00

Alternator

Maximum Capacity (amps) 105.00

COOLING SYSTEM

Total System Capacity (qts) 9.60

PAYLOAD/TRAILERING SPECIFICATIONS

WEIGHT INFORMATION

Base Curb Weight (lb) 3,393.00

April 9, 2002 Page 6

02-X-34130 MOTOR VEHICLE, AUTO., MID SIZE, 36-MONTH CLOSED END LEASE - T1436 CONTRACT NO.: A50629 CONTRACTOR: AUTOMOTIVE RENTALS INC. MONTHLY LEASE PRICE: \$379.00 (PRICE LINE 19) PURCHASE PRICE AT THE END OF 36-MONTH LEASE: \$8,900.00 (PRICE LINE 20)

EXCESS MILEAGE CHARGE (OVER 45,000 MILES FOR 3 YRS.): \$0.06/MILE (PRICE LINE 21)

TRAILERING Dead Weight Hitch (lb) Weight Distributing Hitch (lb)	Max Trailer Wt. 1,000.00	Max Tongue Load 100.00
DIMENSION SPECIFICATIONS		
EXTERIOR DIMENSIONS Wheelbase (in)	109.00	

Length, Overall (in)	195.90
Width, Max w/o Mirrors (in)	73.60
Height, Overall (in)	56.60
Tread Width	
Front (in)	62.10
Rear (in)	61.70
Min Ground Clearance (in)	5.75

CARGO AREA DIMENSIONS

Liftover Height (in)	28.50
Trunk Volume (cu ft)	16.40

INTERIOR DIMENSIONS

Passenger Capacity		
Passenger Volume	101.00	
EPA Classification	Mid-Size	
Seating Position	Front	Second
Head Room (in)	39.30	37.40
Leg Room (in)	42.40	36.90
Shoulder Room (in)	58.00	57.00
Hip Room (in)	55.60	54.80

CHASSIS SPECIFICATIONS

SUSPENSION	Front	Rear
Туре	MacPherson Strut	Tri-Link
	w/Coil Springs	w/Coil-over-strut
Shock Absorber Diameter (mm)	32.00	32.00
Stabilizer Bar Diameter (in)	1.42	0.68
BRAKES		
Туре	Pwr	
ABS System	4-Wheel	
	Front	Rear

April 9, 2002 Page 7

5 .	Front	Rear	
Disc	Yes	Yes	
Rotor Diam x Thickness (in)	10.8 x 1.26		
TIRES	Front	Rear	Spare
Order Code			
Size	P225/60R16	P225/60R16	-TBD-
WHEELS	Front	Rear	Spare
Size (in)	16 x 6.5	16 x 6.5	-TBD-
Туре	Aluminum	Aluminum	Steel
STEERING			
Туре	Pwr Rack & Pinion		
Ratio (:1)			
Overall	13.20		
Lock-to-Lock Turns	3.00		
Turning Diameter (ft)			
Curb-to-Curb	36.60		
Wall-to-Wall	- TBD -		
FUEL TANK	Main		
Capacity, Approx (gal)	17.00		

April 9, 2002 Page 8